INDEX TO VOLUME 2

Abell, C. A. Stripping brushfields for planting California, 182–183
Aldous, Shaler E. Beaver food utilization studies, 215–222
Anderson, Harry G. See Leopold, Aldo, and —, 3–12
Annual meeting, 1938, Report of, 66–67
Apiaries, protection from bears by electric fence, 172
Atwood, Earl L., Jr.
  Results of the Clark National Forest furbearer survey, 20–26
  Some observations on adaptability of Michigan beavers released in Missouri, 165–166

Bears, repelling from apiaries by electric fence, 172
Beaver
  foods and their utilization, Minnesota, 215
  transplanted Michigan to Missouri, results, food habits, 165
Bennett, Logan J. and George O. Hendrickson. Censusing quail in early fall, 169–171
Biological Abstracts, arrangements for sectional subscriptions, 271
Bissonnette, Thomas Hume. Experimental control of sexual photoperiodicity in animals and possible applications to wildlife management, 104–118
Bradbury, Harold M. Mosquito control operations on tide marshes in Massachusetts and their effect on shore birds and waterfowl, 49–52
Brown, C. J. D. The feeding habits of the Montana grayling (Thymallus montanus), 135–145
Bump, Gardiner, et al. Abstract of the report of the Membership Committee, 70–72
By-laws, 277–278

Cahalane, Victor H. Report of the Secretary for the year ending with the close of the second annual meeting, February 14, 1938, 65–68
Carrying capacity, measuring. Square foot density method, 132
Case, George W. The use of salt in controlling the distribution of game, 79–81
Census
  creel census, Crater Lake, Oregon, 96
  ducks, wild, Minnesota, 82
  waterfowl broods, Minnesota, 82
Census methods
  bob-white, 169
  elk, 133
  mammals, 119
  waterfowl broods, 82
Chase, Warren W. Report of the Treasurer for the calendar year 1937, 69
Clarke, C. H. D. Organisms of a malarial type in ruffed grouse, with a description of the schizogony of Leucocytozoon bonasae, 146–150
Clearing by use of power
  bulldozer, Virginia, 179
  bulldozer, Washington, 181
  Plumas brush-stripper, California, 182
Committees, 1938. Supplement (following p. 72)
Conservation, general, 62, 63
Constitution, 275–277
Couch, Leo K. Notice of Committee on arrangements for the annual meeting, 269
Cover
  utilization of, by
    deer, white-tailed, 1
    ducks, wild, Utah, 32
    pheasant, ring-necked, Wisconsin, 7
Cover plants, relative values to wild ducks, Utah, 32
Cox, W. T. Preventing deer concentrations, 1–2
Crater Lake, Oregon. Fish biology and limnology, 94

Dalke, Paul D. Amount of grit taken by pheasants in southern Michigan, 53–54
Davis, William B. What is a wildlife specialist? 272–273
Deer, white-tailed
  concentrations, preventing, 1
  cover requirements, 1
  trapping, 151

Dice, Lee R. Some census methods for mammals, 119–130
Ducks, wild
brood census, Chippewa National Forest, Minnesota, 82
brood size, Minnesota, 82
fate of eggs, nesting densities, site preferences (cinnamon teal, gadwall, mallard, pintail, red-head, ruddy, and shoveller), Utah, 29
hunting take, Chippewa National Forest, Minnesota, 89
parasites, 223

Edminster, Frank C. The marking of ruffed grouse for field identification, 55–57
Electric fence in protecting apiaries from bears, 172
Elk, browse, Idaho, 131
Employment service, 28, 64, 168, 274
Errington, Paul L.
The great horned owl as an indicator of vulnerability in prey populations, 190–205
Membership Committee Report, 70–72
Extension activities in wildlife field, Michigan, 235

Farm wildlife management, 235
Farmer-sportsman relationship, 235
Food habits
beaver, 165, 215
elk, 132
grayling, Montana, 135
grouse, sharp-tailed, 184
overbrowsing by elk, 131
owl, great horned, 190
pheasant, ring-necked, 9
salmon, silverside, 95
trout, rainbow, 95
Forest management to benefit wildlife, 206
Fox, gray, behavior in raiding quail nests, 73
Frost, Allen. Effect upon wildlife of spraying for control of gipsy moths, 13–16
Fur animals, decline, harvesting, population trends, Clark National Forest, Missouri, 20

Goose, Canada, brood size, survival rate of goslings, Utah, 17
Gower, W. Carl. Seasonal abundance of some parasites of wild ducks, 223–232
Grayling, Montana, food habits, 135
Grit requirements, ring-necked pheasant, 53
Grouse
ruffed, blood parasites, 146
sharp-tailed, food, Nebraska, 184

Haemoproteus of ruffed grouse, 148
Hair, mammalian
cross-sectioning, 162
identification of mole and shrew hairs, 239
key to hairs of mammals of southern Michigan, 251
structure, 239, 251
Handley, C. O. See Nelson, A. L., and —, 73–78
Hasler, Arthur D. Fish biology and limnology of Crater Lake, Oregon, 94–103
Hendrickson, Geo. O. See Bennett, Logan J., and —, 169–171
Hicks, Lawrence E. Membership Committee Report, 70–72
Hill, R. G. Wildlife extension activities in Michigan, 235–238
Horn, E. E. Some relationships of quail and ground squirrels in California, 58–60
Howard, M. C. Use of power in making small clearings in bear oak brush for wildlife, 179–180
Hubbs, Carl L. and R. W. Eschmeyer. Review of their book, "The improvement of lakes for fishing," 167

Langlois, T. H. Membership Committee Report, 70–72
Lee, Orville S. See Leopold, Aldo, and —, 3–12
Leopold, Aldo, Orville S. Lee, and Harry G. Anderson. Wisconsin pheasant movement study, 1936–37, 3–12
Leucocytozoon bonasae, life history, 146

Management vs. restoration, 62
Marking
belling ruffed grouse, 57
feather-marking pheasants, 5
feather-marking ruffed grouse, 59
Marshall, William H. See Williams, Cecil S., and —, 17–19, 29–48
Mathiak, Harold A.
A key to hairs of the mammals of southern Michigan, 251–268
A rapid method of cross-sectioning mammalian hairs, 162–164

McAtee, W. L.
General conservation, 63
Review of "The improvement of lakes for fishing," by Carl L. Hubbs and R. W. Eschmeyer, 167
Meetings
annual, 1938, 66–67
organization meeting
Wildlife Society, 1937, 67–68
Wildlife Specialists, 1936, 61
Members, 1938. Supplement (following p. 72)
Moles, hair structure, 245
Morton, James N. and John B. Sedam. Cutting operations to improve wildlife environment on forest areas, 206–214
Moses, Ben D. See Storer, Tracy I., and —, 172–178
Mosquito control operations in relation to wildlife, Massachusetts, 49

Nelson, A. L. and C. O. Handley. Behavior of gray foxes in raiding quail nests, 73–78

Officers, 1938. Supplement (following p. 72)
Officers, Committees, and Members of the Wildlife Society, 1938. Supplement (following p. 72)
Organization meeting, report of, 67–68
Owl, great horned, food habits and their study, relation to prey populations, 190

Parasites of wild ducks, seasonal abundance, 223
Pheasant, ring-necked
damage to corn, 19
feather-marking, 5
grit requirements, 53
movements of stocked birds, 7
stocking in winter, 3
survival after winter release, 7
trapping, 4
weights in winter, 11
Photoperiodicity, sexual, experimental control of, 104

Quail, valley, ground squirrel predators, 58

Range, big game, carrying capacity, 131
Refuge, Bear River Migratory Bird
ducks, wild, production, 29
goose, Canada, production, 17
vegetation, value as cover, zones of, 32
Restoration of ditched salt marshes, Massachusetts, 49
Richards, Edward C. M., note on, 168
Ruff, Frederick J. Trapping deer on the Pisgah National Game Preserve, North Carolina, 151–161

Salmon, silverside, food habits, growth rate, management, Crater Lake, Oregon, 95
Salt, use in controlling distribution of game, 79
Secretary, report of, 65–68
Sedam, John B. See Morton, James N., and —, 206–214
Selko, Lyle F. See Swenk, Myron H., and —, 184–189
Sexual photoperiodicity, experimental control of, 104
Spraying, effect upon wildlife, 13
Squirrels, ground, quail egg destroyers, 58
Stevenson, James O. Notice of Committee on Arrangements, 269
Stocking
beaver, 165
pheasant, ring-necked, 3
Storer, Tracy I., George H. Vansell, and Ben D. Moses. Protection of mountain apiaries from bears by use of electric fence, 172–178
Stoudt, Jerome H. The number of waterfowl and the kill on the Chippewa National Forest, 1937, 82–93
Sumner, E. Lowell, Jr. Wildlife cropping or wildlife restoration?, 62–63
Swanson, Herman E. Land clearing by power methods in the control of white pine blister rust, 181
Swenk, Myron H. and Lyle F. Selko. Late autumn food of the sharp-tailed grouse in western Nebraska, 184–189

Trapping
deer, 151
pheasant, ring-necked, 4
Treasurer, report of, 69
Trout, rainbow, food habits, growth rate, management, Crater Lake, Oregon, 95

Van Dersal, William R.
Membership Committee Report, 70–72
Notice of Committee on Arrangements, 269
Vansell, George H. See Storer, Tracy I., and —, 172–178

Weights, pheasant, ring-necked, 11
Wickliff, Edward L.
Note referring to the North American Fish Policy, 270
Notice of Committee on Arrangements, 269
Wildlife specialist, described, 272
Wildlife Specialists, Society of, organization meeting, 61
Williams, Cecil S. Aids to the identification of mole and shrew hairs with general comments on hair structure and hair determination, 239–250
Williams, Cecil S. and William H. Marshall
Duck nesting studies, Bear River Migratory Bird Refuge, Utah, 1937, 29–48
Survival of Canada goose goslings, Bear River Refuge, Utah, 1937, 17–19
Young, Vernon A. The carrying capacity of big game range, 131–134